

TREATMENT OF POST SURGICAL & TRAUMA INDUCED SCAR TISSUE WITH BEE VENOM & APIPUNCTURE

APIMONDIA MONTREAL 2019

Frederique Keller MS, L.Ac.



ACTIONS

- Soften
- Flatten
- Reduce
- Diminish & Lighten
- Break Down Cell Membranes
- Decrease Size, Thickness of Scar & Reduce Adhesions
- Regulates & Inhibits Regeneration of Fibrous Tissue
- Improve Blood Flow & Circulation to Area
- Relieve Pain, Numbness, Tingling Locally & Referred Pain



INDICATIONS

- Surgical Scars
- Cesarean Section
- Keloid Scars
- Trauma; Accidents
- Burns
- Body Piercings
- New & Old Scars



TECHNIQUE

- Bee Venom Therapy
- Micro Stings
- Mini Stings
- Acupuncture
- Bee Venom Cream 5%



TECHNIQUE



TECHNIQUE

- Live Bee Sting, Micro Sting
- Injectable Bee Venom
- Wei Ci Surround the Dragon
- Beginning & End
- Sides of Scar
- Wait One Month to Begin Treatment
- Treat 2X/week for 4-6 weeks or longer.
- Results Vary Based on Age & Severity of Scar

AUTO ACCIDENT OPEN FRACTURE

MP 49YRS OLD



2 years/7 Surgeries



8 Months Later

AUTO ACCIDENT OPEN FRACTURE

MP 49YRS OLD



AUTO ACCIDENT OPEN FRACTURE INTRADERMAL NEEDLES & BEE VENOM CREAM




BLENDER BLADE ACCIDENT

DA 56YRS OLD



BLENDER ACCIDENT

DA 56YRS OLD



3 surgeries/9 weeks



7 months later

BLENDER ACCIDENT 10 MONTHS LATER



CONCLUSION

- Apipuncture Effective for Reduction of Scars
- Restore Function & Mobility
- Diminish & Improve Appearance of Scar
- Regeneration of Tissue
- Relieve Local & Associated Pain

REFERENCES

- Chinese Acupuncture and Moxibustion by Cheng Xinnong
- A Manual of Acupuncture by Peter Deadman
- Illustrated Chinese Moxibustion Techniques and Methods by Xiaorong Chang
- Guide Pratique des Moxas Chinois, Dr. Yves Requena