



福建农林大学
FUJIAN AGRICULTURE AND FORESTRY UNIVERSITY

The 46th Apimondia in Canada



Confirmation and Application of SNPs Related to Chalkbrood Resistance in Larvae of *Apis mellifera*

Prof. Dr. Songkun Su

**College of Bee Science, Fujian Agriculture and
Forestry University, Fuzhou, China**

E-mail: susongkun@zju.edu.cn

365634176@qq.com





Contents



Background



Molecular markers screening



Molecular assistant breeding



Prospective

1. Background



What's chalkbrood?

A fungal disease, caused by *Ascosphaera apis*

(Bailey, 1967; Gilliam *et al.*, 1978; Flores *et al.*, 1996)

How to transmit?

Food sharing, nursing, drifting drones and contaminated materials etc.

(Gilliam and Vandenberg, 1997)




Fig. 1

A. Normal brood comb

B. Infected brood comb


C. Hive



A



C



B



How to fight against chalkbrood?



- ◇ Chemicals (synthetic fungicide), management and sanitation, natural compounds, antagonistic micro-organisms and breeding etc.

(Spivak & Gilliam 1998; Aronstein & Murray 2010)

- ◇ Hygienic behavior: primary mechanism of resistance to chalkbrood

(Gilliam 1998; Invernizzi *et al.*, 2011)

- ◇ Breed honey bee line resistant to chalkbrood based on larvae themselves

(Holloway *et al.*, 2012)

Identify genetic markers indicating chalkbrood-resistance of the colonies based on larvae

1.1 Why SNPs?



SNPs: DNA sequence variations on genome sequence (>1%; one in 1000 bases).

(Kowk 2003)




Fig 2. Diagram of SNP
(wikipedia)

Advantages:


- ◎ Most abundant variations across the genome
- ◎ Bi-allelic, easily to be identified
- ◎ Fast and amenable to large-scale, high-throughput analyses
- ◎ Find genes or markers associated with diseases

(Vignal *et al.*, 2002; Altmann *et al.*, 2012)

1.2 Previous Studies



◇ QTLs found chromosome 2 and 11 associated with chalkbrood resistance. (Holloway *et al.*, 2012)



Resistance correlation, larval modality VS deriving colonies




Fig 3. Comparison of larval mortality in chalkbrood-resistant and -susceptible colonies



Table 1. 71 candidate SNPs associated with chalkbrood resistance in six resistant larva samples

Number	Chromosome	Chromosome coding	Reference base	Base in resistant samples	Coordinate position in genome	symbol	Annotation
1	2	NW_003378082.1	G	A	709253	Fim	fimbrin
2	2	NW_003377976.1	C	Y	166404	LOC408715	lachesin-like
3	2	NW_003378082.1	C	T	721655	Fim	fimbrin
4	2	NW_003377991.1	G	R	716721	LOC410888	lachesin-like
5	2	NW_003377928.1	A	G	500608	LOC724736	semaphorin-1A-like
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
69	11	NW_003378088.1	C	T	4108245	Fng	fringe glycosyltransferase
70	11	NW_003377923.1	C	C	843167	Mrjp5	major royal jelly protein 5
71	11	NW_003377923.1	C	C	843184	Mrjp5	major royal jelly protein 5

(Limin Yan, 2012)

2. Molecular markers screening



8 colonies, 2014



1 CR and 1 CS colony

Res and Sus sample DNA

PCR

SNP genotype

Exclude false-positive SNPs

Confirmation

48 colonies, 2015



3 CR and 3 CS colonies

3rd larvae for DNA sample

Same process as the initial
confirmation

Chalkbrood resistance-
associated SNPs

Main methods




2.1 CR and CS olony selection



20 black mummies and 50 g pollen for each colony

Jensen et al. (2013)

2.2 Selecting resistant (Res) and susceptible (Sus) larvae



Larvae rearing *in vitro*

Larval diet:

50% fresh frozen royal jelly (v/v), 6% D-glucose (w/v), 6% D-fructose (w/v), 1% yeast extract (w/v) and 37% sterile deionized water

Note: The 3rd instar larvae, a dose of 5×10^5 spores

Jensen *et al.* (2009; 2013)



Resistance assessment of colonies




Fig 1. Comparisons of mummy number in diseased and asymptomatic colonies

Mean \pm S.E. (n = 3); one-way ANOVA - LSD, * $P < 0.05$

C2587245T

Fig 3. Alignment of sequencing result



Table 1. Eight SNP candidates after initial validation

Number	Chromosome	Chromosome coding	Reference base	Corresponding base in resistant samples	Coordinate position in genome	Symbol	Annotation
6	2	NW_003378123.1	G	A	2608140	LOC551167	multidrug resistance protein homolog 49-like
33	11	NW_003377923.1	C	C	843167	Mrjp5 ^a	major royal jelly protein 5
34	11	NW_003377923.1	C	C	843184	Mrjp5 ^b	major royal jelly protein 5
36	11	NW_003378088.1	T	C	1044450	LOC410318	otoferlin-like
52	11	NW_003378155.1	G	T	349321	LOC100578939	single Ig IL-1-related receptor-like
60	11	NW_003378088.1	G	R	148661	LOC100577879	carbonic anhydrase-related protein 10-like
66	11	NW_003377973.1	A	G	188523	LOC408343	potassium voltage-gated channel protein Shaker-like%
68	11	NW_003378088.1	T	W	1501725	DNAH7	Dynein, axonemal, heavy chain 7

Further validation

Fig 4. Manually inspect sequencing trace data using DNA star (Seqman)






Table 2. Distribution of C and T allele frequencies of SNP C2587245T

Category	Colony	Number of larvae	Frequency of genotypes			Frequency of alleles ^c					
			C/C	T/T	C/T	C	P_C^a	Mean \pm S. E.	T	P_T^b	Mean \pm S. E.
CR	CR ₁	53	20	3	30	70	0.6604		36	0.3396	
	CR ₂	48	9	10	29	47	0.4896		49	0.5104	
	CR ₃	44	10	0	34	54	0.6136	0.5812 \pm 0.0465	34	0.3864	0.4121 \pm 0.0510
CS	CS ₁	49	0	27	22	22	0.2245		76	0.7755	
	CS ₂	47	6	20	21	33	0.3511		61	0.6489	
	CS ₃	47	6	10	31	43	0.4574	0.3443 \pm 0.0673	51	0.5426	0.6557 \pm 0.0673

^asignificant difference in independent-samples *t*-tests ($P < 0.05$);

^bsignificant difference in independent-samples *t*-tests ($P < 0.05$);

^csignificant difference in chi-square tests ($\chi^2 = 27.191$, $P < 0.001$).




Fig 5. Diagram of SNPs distribution located at the second intron of *Mrjp 5*, chromosome 11



Table 3. Comparison of the C allele frequency in FQ and HB lines

Colony lines	Colony No.	P_C	P_T	Sample No.
FQ	1	52.08	47.92	24
	2	43.75	56.25	24
	3	56.25	43.75	24
	4	66.67	33.33	24
HB	1	34.78	65.22	23
	2	0	100	19
	3	29.55	70.45	22

$P < 0.05$



Larva-mediated chalkbrood resistance-associated single nucleotide polymorphism markers in the honey bee *Apis mellifera*

Y. Liu*, L. Yan†, Z. Li*, W.-F. Huang*‡, S. Pokhrel*,
X. Liu* and S. Su*†

*College of Bee Science, Fujian Agriculture and Forestry University, Fuzhou, China; †College of Animal Sciences, Zhejiang University, Hangzhou, China; and ‡Illinois Natural History Survey, Prairie Research Institute, University of Illinois at Urbana-Champaign, Illinois, USA

Abstract

Chalkbrood is a disease affecting honey bees that seriously impairs brood growth and productivity of diseased colonies. Although honey bees can develop chalkbrood resistance naturally, the details underlying the mechanisms of resistance are not fully understood, and no easy method is currently available for selecting and breeding resistant bees. Finding the genes involved in the development of resistance and identifying single nucleotide polymorphisms (SNPs) that can be used as molecular markers of resistance

minimize the negative effects of chalkbrood on managed honey bees.

Keywords: chalkbrood, disease resistance, *Apis mellifera*, breeding, SNP, genome resequencing.

Introduction

Chalkbrood is a disease of the honey bee *Apis mellifera* caused by the fungus *Ascosphaera apis*. The fungus infects honey bee larvae and causes significant harm to population growth and colony productivity. The disease is typically common during the spring months in most regions around the world (Aronstein & Murray, 2010; Jensen *et al.*, 2013).

The pattern of chalkbrood disease distribution can be affected by complex interactions between environmental factors and host genetics. High humidity and low temperature have been found to increase the prevalence of chalkbrood disease (Puerta *et al.*, 1994; Flores *et al.*, 1999). Previous studies have shown that chalkbrood



Got Patent in China

利用SNP标记鉴别蜂群

抗白垚病性状的方法 获

国家发明专利授权

(专利号: ZL

201410793151.7)



中华人民共和国国家知识产权局

350005

福州市晋安区东二环泰禾广场 SOHO 9 号楼 5A 416-419 福州元创专利
商标代理有限公司
蔡学俊

发文日:

2016 年 05 月 03 日



申请号或专利号: 201410793151.7

发文序号: 2016040500713760

申请人或专利权人: 福建农林大学

发明创造名称: 利用 SNP 标记鉴别蜂群抗白垚病性状的方法

授予发明专利权通知书

1. 根据专利法第 39 条及实施细则第 54 条的规定, 上述发明专利申请经实质审查, 没有发现驳回理由, 现作出授予专利权的通知书。

申请人收到本通知书后, 还应当依照办理登记手续通知书的内容办理登记手续。

申请人按期办理登记手续后, 国家知识产权局将作出授予专利权的决定, 颁发发明专利证书, 并予以登记和公告。

期满未办理登记手续的, 视为放弃取得专利权的权利。

2. 授予专利权的上述发明专利申请是以下列申请文件为基础的:

☒ 原始申请文件。 ☐ 分案申请递交日提交的文件。 ☐ 下列申请文件:

3. 授予专利权的上述发明专利申请的名称:

☒ 未变更。

☐ 由__变更为上述名称。

4. ☐ 申请人于__年__月__日提交专利号为__的“放弃专利权声明”, 经审查:

☐ 进入放弃专利权的程序。

☐ 未进入放弃专利权的程序。理由是: 申请人声明放弃的专利与本发明专利申请不属于相同的发明创造。

5. ☐ 审查员依职权对申请文件修改如下:

6. 在本通知书发出后收到的申请人主动修改的申请文件, 不予考虑。

审查员: 张鑫蕊

审查部门: 专利审查协作北京中心医药生物
发明审查部

联系电话: 62414284

210413
2010.2

纸件申请, 回函请寄: 100088 北京市海淀区蓟门桥西土城路 6 号 国家知识产权局专利局受理处收
电子申请, 应当通过电子专利申请系统以电子文件形式提交相关文件。除另有规定外, 以纸件等其他形式提交的文件视为未提交。



福建农林大学

FUJIAN AGRICULTURE AND FORESTRY UNIVERSITY



3. Molecular assistant breeding

Fengqian No.1 Honeybee (FQ No.1) was selected from high royal jelly yield breed (11 lines from Zhejiang province) with honeybee closed population breed method and molecular assistant breeding method.

Honeybee breed (Fengqian No.1 Italian Bee) with chalkbrood resistance and high RJ yield




蜂王浆优质高产抗白垩病蜂种培育
From 2010--- now




FQ No.1 Breeding technology and Part family tree

“蜂强1号”意蜂培育技术与部分系谱图

2010~2017年，采用蜜蜂闭锁群体育种技术培育13代——“蜂强1号”意蜂





Isolated mating and
artificial insemination




SNP assistant breeding



蜜蜂
人工授精






(Su SK, et al., 2007)



DNA collection from cuticle of virgin queen to detect chalkbrood resistance SNP (C2587245T)



上清液可直接用来进行PCR测序，或调整浓度后
通过快速检测的手段来鉴定处女王基因型



Assistant breeding on chalkbrood resistance with SNP (C2587245T)

★ Predit colonies' chalkbrood-resistance level
and facilitate chalkbrood resistance breeding by
analyzing P_c of each colony.



★ C/C queen at C2587245T will potentially
generate the offspring with high level of resistance
to chalkbrood.

★ Useful to minimize the influence of chalkbrood on managed
honey bees.




**Fengqian No.1 Honeybee was test and popularized
in Henan, Zhejiang, Anhui, Jiangsu, Hubei, Yunnan,
Fujian, Hainan provinces in China**

4. Prospective




- We focused on SNP candidates located on two studied chromosomes rather than all of them.
- *MRJP* family may have important functions in honey bee physiology besides the nutritional roles for larvae (**Buttstedt et al., 2014; Bíliková et al., 2009**).
- Though the role of SNP C2587245T/ the intron in susceptibility to chalkbrood disease remains unknown, detail mechanisms still need further research, CRISPR/Cas Systems (**Mali et al., 2012**).

Honeybee CRISPR/Cas9 System








Honeybee egg micro-injection and hatching



Collecting eggs



injection



embryo hatching



Honeybee CRISPR/Cas9 Systemwhite gene knockout

A

组别	注射物质	蜂卵注射数目	幼虫孵化数目(%)	嵌合体(%)
对照组	无菌水	20	16/20(80)	—
注射组	Cas9 蛋白 mRNA	40	11/40(27.5)	10/11(90.9%)

B



C

(W.T) TTTTATTACAGTATGCGGGGTTGCGTATCCAGGTGAATTGTTGGTAATTA
 (A₂₋₄) TTTTATTACAG - - - - -GTTGGTAATTA (-28)
 (A₂₋₅) TTTTATTACAGTATGCGGGGTTGCGTGAAGTGTTCAGGTGAATTGTTGGTAATTA (+5)
 (A₃₋₂) TTTTATTACAGTATGCGGGGTTG-G-ATTGTTGGTATGAATTGTTGGT
 (A₃₋₆) TTTTATTACAGTATGCGGGGTTGC- - -TCCAGGTGAATTGTTGGTAAT
 (A₃₋₇) TTTTATTACAGTATGCGGGGTTGC- - - - -GGTGAATTGTTGGTAAT
 (A₃₋₉) TTTTATTACATTATGCGGGGTTGC - - - - -GGTGAATTGTTGGTAAT
 (A₅₋₂) TTTTATTACAGTATGCGGG-TT-----GTAA



Acknowledgements

**Modern Agro-industry Technology Research System
(No. CARS-45-KXJ3; CARS-44-KXJ4)**

Thanks to Prof. Jie Wu (Chief Scientist)

**National Natural Science Foundation of China
(No.31340061)
(No.31772684)**



Thanks



Yuanzhen Liu

Shupeng Xu

Limin Yan

Xueyan Wang

Shaowu Zhang

Zhiguo Li

Hongyi Nie

Weifeng Huang



Shaowu Zhang, Judy Chen,
Martin Giurfa, Zachary Huang